## Final Progress Data Packet For 5 Year Joint Goals ending in Aug 2013

Use this data packet to help complete:

- Part I of your Local Agency Plans,
- Due November 1, 2012

#### Nebraska WIC Program – Joint Goal Overview

- NE WIC previously developed 2 <u>Joint Goals</u> as a result of our joint planning process
- Each goal includes <u>2 joint strategies</u>
- Our joint goals fall into the topic areas of:
  - over weight children
  - exclusive BF
- Both are 5 year goals, ending in August 2013
- This is our final review, since as our PedNSS data source will not be available for 2012 data.
- The data needed for your final review is included in this packet along with any instructions needed for calculating your percentages

## **Joint Nutrition Goal**

- Topic Overweight Children
- 5 Year Goal: By August 1, 2013 reduce the % of NE WIC children ages 2-4 that are at or above the 85<sup>th</sup> percentile BMI for age. (Original Baseline – 29.6%)
- Progress Data: 2011 LA PedNSS –
   Table 6F > 2 years over-weight column

# Instructions for Locating your progress data

1. Refer to PedNSS Table 6F (next page)

Calculate your own LA percentage by ADDING the percentages together for the overweight & obese

 For example, for the progress State Figures refer to the red highlighted area

#### **Joint Nutrition Goal Data:**

#### For Overweight Children

## Table 6F 2011 Pediatric Nutrition Surveillance Nebraska (1)

Comparison of Growth and Anemia Indicators by Local Agency Children Aged < 5 Years (2)

			Comparis	on of G	rowth ar	nd Anei	mia Indi	cators		(3,4)		
		Birthweight	(5)									
		Low	High	3	Short Stature	Under- Obese weight		0	≥ 2 Yrs verweight ar Obese	Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
BVCA	205	8.8 (12)	6.3 (4)	1,073	8.0 (12)	1.6 (2)	18.3 (14)	531	18.1 (10)	22.6 (14)	678	6.3 (4)
CAPMID	898	6.8 (6)	9.4 (14)	3,975	7.0 (8)	1.9 (5)	12.2 (7)	1,849	17.4 (7)	14.6 (8)	2,426	5.2 (3)
CDHD	598	8.4 (11)	8.0 (11)	2,888	6.9 (7)	1.8 (4)	13.2 (10)	1,421	21.1 (14)	16.0 (11)	2,083	9.8 (9)
CNCS	288	4.5 (1)	6.3 (4)	1,547	5.9 (5)	1.7 (3)	10.0 (3)	802	18.6 (12)	10.6 (2)	1,071	6.7 (6)
DCHD	4,425	8.8 (12)	6.2 (2)	17,751	7.6 (10)	4.5 (14)	12.2 (7)	7,924	15.9 (4)	14.1 (7)	10,149	15.3 (13)
ECDHD	405	6.4 (4)	8.4 (12)	1,728	5.7 (3)	2.7 (10)	14.3 (12)	776	16.0 (5)	19.1 (13)	1,161	4.1 (1)
FHS	423	5.9 (3)	8.5 (13)	1,813	8.8 (14)	2.3 (7)	15.2 (13)	853	20.9 (13)	17.2 (12)	1,169	18.0 (14)
FS	617	10.7 (14)	6.2 (2)	2,893	5.2 (2)	3.4 (12)	8.9 (1)	1,350	13.8 (1)	10.4 (1)	1,942	14.0 (12)
GRH	804	8.0 (9)	6.3 (4)	3,655	6.0 (6)	2.0 (6)	13.3 (11)	1,749	18.0 (9)	15.7 (10)	2,506	6.7 (6)
LLCH	965	7.7 (7)	6.5 (8)	4,303	4.9 (1)	3.4 (12)	8.9 (1)	2,000	15.3 (2)	11.6 (3)	2,788	8.5 (8)
NNFHS	405	7.7 (7)	6.9 (9)	1,837	5.7 (3)	2.3 (7)	11.5 (6)	859	16.3 (6)	14.6 (8)	1,141	9.8 (9)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

  \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date: 3 / 14 / 12

#### **Joint Nutrition Goal Data:**

#### For Overweight Children

## Table 6F 2011 Pediatric Nutrition Surveillance (1) Nebraska

parison of Growth and Anemia Indicators by Local Agency Children Aged < 5 Years (2)

	_		Comparis	on of G	rowth a	nd Ane	mia Indi	cators			(3,4)				
		Birthweight													
		Low	High		Short Stature		r- Obese t	≥ 2 Yrs Overweight and Obese					Anemia Low Hb/Hct (8)		
Local Agency	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overw (Rar	eight			Number	% (Rank)	
PCS	401	8.2 (10)	4.7 (1)	1,749	7.0 (8)	3.2 (11)	11.1 (5)	838	15.8	(3)	13.7	(5)	1,202	10.1 (11)	
PFHS	404	4.5 (1)	6.4 (7)	1,738	8.2 (13)	2.4 (9)	12.5 (9)	822	18.5	11)	14.0	(6)	1,192	6.5 (5)	
WCHR	163	6.7 (5)	7.4 (10)	754	7.6 (10)	1.5 (1)	10.7 (4)	367	17.4	(7)	12.5	(4)	498	4.4 (2)	
Unknown Local Ag.	5	* *	* *	86	* *	* *	* *	60	*	*	*	*	76	* *	
Nebraska	11,006	8.0	6.8	47,790	6.8	3.2	12.0	22,201	16.8		14.3	All Control	30,082	10.9	

3.6

12.4

LA progress	(Final):	
+ =	%	

1,851,546

2011 State Final Progress: 16.8 + 14.3 = 31.1%

14.4

5,391,027 14.6

This is the last time this

report will be available.

3,572,939 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

Nation

(Prior Year)

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

8,057,124 6.3

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

9.0

6.3



Page:

Run Date: 3 / 14 / 12

## Joint BF Goal

- Topic Exclusive BF
- 5 Year Goal: By August 1, 3013 increase the % of exclusively BF infants at 6 months of age (Original State Baseline: 5.3%)
- Final Progress Data— Exclusive BF rates from PedNSS table 7F IS NOW available and is attached. (You may remember this data was not available last year when we completed our plans, so we used an alternate data source.)
- Using table PedNSS 7F, locate your LA progress figure under column 7 (Exclusively BF at 6 mo.)

#### Joint BF Goal: **Exclusive BF**

#### Table 7F 2011 Pediatric Nutrition Surveillance (1) Nebraska

Page: Run Date:

istfeeding, TV Viewing, and Smoking in Household by Local Agency Children Aged < 5 Years (3)

(2)

							MANAGEMENT OF THE PARTY OF THE	A PARTO	PERCANATU			2000 (4)				
Breastfeeding (6)							Exclu	isive B	reastfeedir (7)	ng		≤2 Hou Viewing (8	g/Day	Smoking in Household		
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mor	% estfed at ast ast anths ank)	Number	Brea A	t ast onths	Number	% (Rank)	Number	% (Rank)
BVCA	205	74.6 (6)	160	18.8 (9)	142	18.3 (3)	106	12.3	(11)	113	7.1	(14)	557	61.6 (14)	1,086	15.3 (9)
CAPMID	899	79.2 (5)	704	21.0 (7)	626	12.8 (7)	378	16.9	(7)	441	12.0	(6)	1,970	86.2 (5)	4,030	16.2 (11)
CDHD	603	81.4 (3)	488	25.8 (4)	412	20.9 (1)	305	20.7	(4)	346	11.8	(8)	1,510	86.8 (3)	2,942	5.6 (5)
CNCS	288	81.9 (2)	269	23.0 (6)	239	15.5 (5)	152	24.3	(2)	167	15.0	(2)	845	88.8 (2)	1,562	24.4 (13)
DCHD	4,434	73.1 (9)	2,904	23.7 (5)	2,556	16.6 (4)	1,709	15.9	(9)	1,888	10.0	(12)	8,445	75.5 (12)	18,066	8.0 (6)
ECDHD	405	73.8 (7)	317	16.7 (11)	271	12.5 (8)	177	11.3	(13)	196	10.2	(10)	849	70.6 (13)	1,754	17.2 (12)
FHS	425	62.6 (14)	369	14.6 (14)	294	8.8 (14)	157	15.3	(10)	205	11.2	(9)	911	86.6 (4)	1,850	8.4 (7)
FS	620	71.3 (11)	500	26.2 (3)	373	19.8 (2)	297	31.0	(1)	312	25.0	(1)	1,451	85.7 (7)	2,927	5.2 (4)
GRH	805	67.7 (13)	612	15.2 (13)	533	10.9 (9)	296	12.2	(12)	338	8.0	(13)	1,875	85.8 (6)	3,702	15.8 (10)
LLCH	966	81.4 (3)	797	27.0 (2)	751	14.8 (6)	403	19.9	(5)	572	14.0	(5)	2,148	79.0 (9)	4,367	1.6 (1)
NNFHS	406	70.9 (12)	365	19.5 (8)	282	9.2 (12)	215	19.5	(6)	275	12.0	(6)	949	80.3 (8)	1,867	12.0 (8)
PCS	401	73.3 (8)	339	16.8 (10)	274	9.1 (13)	236	16.1	(8)	275	10.2	(10)	907	90.7 (1)	1,788	3.0 (2)
PFHS	404	71.8 (10)	319	15.7 (12)	260	9.6 (11)	173	23.1	(3)	206	14.6	(4)	886	77.2 (11)	1,770	29.5 (14)

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

## Joint BF Goal: Exclusive BF

#### Table 7F 2011 Pediatric Nutrition Surveillance (1) Nebraska

Page: Run Date: 3 / 14 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
Children Aged < 5 Years (3)

(2)

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and Sm	oking i	n Ho	use	hold (4,	5)			
	Breastfeeding (6)						Exclusive Breastfeeding (7)					urs TV ng/Day (8)	Smoking in Household			
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breas At Lea 6 Mont (Rar	tfed st	Number	% (Rank)	Number	(Ra	
WCHR	163	82.2 (1)	141	28.4 (1)	126	10.3 (10)	76	* *	102	14.7	(3)	386	78.0 (10)	768	3.9	(3)
Unknown Local Ag.	5	* *	6	* *	10	* *	1	* *	1	*	*	63	* *	86	*	*
Nebraska	11,029	74.2	8,290	22.0	7,149	14.7	4,681	18.0	5,437	11.9		23,752	80.1	48,565	10.	1
Nation (Prior Year)	1,689,6	15 63.2	908,604	25.1	1,069,94	42 16.9	363,039	10.7	466,279	6.1		1,200,700	79.2	4,203,554	9.4	1

This is the last time this report will be available.

State - Final

Progress: 11.9%



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>8)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

## Additional data source:

FY 2013 LA Plan			
	% of all infants	% of all infants	
	fully	partially	% of all infants
January (2012)	breastfed	breastfed	formula fed
005 CNCS	15.60	10.7	73.7
010 DCHD	9.20	20.2	70.5
010 DCHD subagency 00	10.10	15.3	74.6
010 DCHD subagency 16	5.50	19.9	74.6
010 DCHD subagency 30	10.20	29.3	60.5
020 FHS	5.80	5.8	88.4
025 NNFHS	15.90	8.5	75.6
030 GHCA	10.80	12.5	76.7
035 CDHD	13.10	18.7	68.2
040 BVCA	6.90	21.8	71.3
045 CAP MID	10.90	12.9	77.4
050 CAP WN	13.90	8.4	77.7
065 PFHS	13.50	9.2	77.4
070 ECDHD	7.80	8.6	83.6
075 WCHR	15.70	11.9	72.4
260 FS	14.80	13.8	71.4
280 LLCHD	11.20	15.6	73.2
State Percentage	10.80	15.6	73.6